

Examiner-Initiated Interview Summary	Application No. 09/699,772		Applicant(s) SUTARDJA, SEHAT	
	Examiner Arnold M Kinhead		Art Unit 2817	

All Participants:

(1) Arnold M Kinhead.

(2) Mr. Donald Daley.

Date of Interview: 20 October 2003

Type of Interview:
☒ Telephonic
☐ Video Conference
☐ Personal (Copy given to: ☐ Applicant ☐ Applicant's representative)

Exhibit Shown or Demonstrated: ☐ Yes ☒ No
 If Yes, provide a brief description: .

Status of Application: _____

(3) _____.

(4) _____.

Time: _____

Part I.

Rejection(s) discussed:

Claims discussed:

46

Prior art documents discussed:

Part II.


SUBSTANCE OF INTERVIEW DESCRIBING THE GENERAL NATURE OF WHAT WAS DISCUSSED:

The examiner corrected the previous examiner's amendment to claim 46, line 3, with regards the original recitation for "a first frequency dependent amplifier device"; this now reads--a first frequency dependent amplifier--.

Part III.

☒ It is not necessary for applicant to provide a separate record of the substance of the interview, since the interview directly resulted in the allowance of the application. The examiner will provide a written summary of the substance of the interview in the Notice of Allowability.

☐ It is not necessary for applicant to provide a separate record of the substance of the interview, since the interview did not result in resolution of all issues. A brief summary by the examiner appears in Part II above.



 (Examiner/SPE Signature)

 (Applicant/Applicant's Representative Signature – if appropriate)

Art Unit: 2817

SUPPLEMENTAL EXAMINER' s AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Donald Daley on Oct. 20, 2003.

The application has been amended as follows:

The following has been corrected: with regards claim 46 as amended in the previous examiner' s amendment, please substitute the following:

In claim 46, line 3,(original) "a first frequency dependent amplifier device" is now--a first frequency dependent amplifier --.

This corrects a typographical error on the previous examiner' s amdt.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arnold M Kinkead whose telephone number is 703-305-3486. The examiner can normally be reached on Mon-Fri, 8:30 am -5 pm.

Art Unit: 2817

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on 703-308-4909. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

Arnold M Kinkead
Primary Examiner Art Unit 2817

A handwritten signature in black ink, appearing to read 'A. Kinkead', with a stylized flourish at the end.

Oct. 22, 2003